PHYTOCHEMISTRY

CHEMISTRY BIOCHEMISTRY MOLECULAR BIOLOGY

Regional Editors

U.K., Africa, The Commonwealth & Rest of the World
G. P. BOLWELL

The Americas & East Asia
N. G. LEWIS

Continental Europe & Russia
D. STRACK

Volume 55 Contents, Author Index and
Subject Index 2000

PERGAMON

PHYTOCHEMISTRY
Chemistry Biochemistry Molecular Biology

Regional Editor for: U.K., Africa, The Commonwealth & Rest of the World
G. P. BOLWELL: School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.

Regional Editor for: The Americas & East Asia
N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Regional Editor for: Continental Europe & Russia
D. STRACK: Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.

Honorary Editor: J. B. HARBORNE F.R.S.

EDITORIAL BOARD—2001

Y. Asakawa:	Tokushima, Japan.	J. L. Harwood:	Cardiff, U.K.
W. Boland:	Jena, Germany.	P. Hedden:	Bristol, U.K.
A.-M. Boudet:	Toulouse, France.	W. Herz:	Tallahassee, U.S.A.
G. Bringmann:	Würzburg, Germany.	K. Hostettmann:	Dorigny-Lausanne, Switzerland.
G. Cordell:	Chicago, U.S.A.	T. M. Kutchan:	Halle, Germany.
K. Cornish:	Albany, U.S.A.	U. Matern:	Marburg, Germany.
R. Croteau:	Pullman, U.S.A.	B. L. Møller:	Copenhagen, Denmark.
H. V. Davies:	Dundee, U.K.	M. Rohmer:	Strasbourg, France.
V. De Luca:	Montreal, Canada.	U. Sankawa:	Toyama, Japan.
R. A. Dixon:	Ardmore, U.S.A.	A. R. Slabas:	Durham, U.K.
R. Edwards:	Durham, U.K.	G. H. N. Towers:	Vancouver, Canada.
W. H. Fenical:	La Jolla, U.S.A.	H. Wagner:	München, Germany.
D. Ferreira:	University, U.S.A.	P. G. Waterman:	Lismore, Australia.
J. Gershenzon:	Jena, Germany.	V. Wray:	Braunschweig, Germany.
O. R. Gottlieb:	Rio de Janeiro, Brazil.	M. H. Zenk:	Halle, Germany.

All manuscripts and contributions should be submitted to either G. P. BOLWELL at Surrey, N. G. LEWIS at Pullman or D. STRACK at Halle. Authors are requested to consult the 'Instructions to Authors' and the 'Aims and Scope' of the journal (see inside back cover). The latest Instructions are published in Vol. 56, No. 1. Copies of these Instructions are also available from the internet http://www.elsevier.nl/locate/Phytochem under 'Guide for Authors', or from the Regional Editorial offices. Review articles are welcome, but intending Authors should send an outline to the Regional Editor before preparing their manuscripts. Books for review should be sent to G. P. BOLWELL.

This journal has been designated an official organ of 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published bi-monthly, two issues per month, January to December (three volumes 2001).

Annual Institutional Subscription Rates 2001: Europe, The CIS and Japan 6738.00 Dutch Guilders. All other countries US$3421.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas**: Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan**: Elsevier Science K. K., Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific *(excluding Japan)***: Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World**: Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues:* back issues of all previously published volumes in both hard copy and on microfilm, are available direct from Elsevier Science Offices (Oxford, New York).

Author Enquiries: For enquiries relating to the submission of articles (including electronic submission), the status of accepted articles through our Online Article Status Information System (OASIS), author Frequently Asked Questions and any other enquiries relating to Elsevier Science, please consult http://www.elsevier.com/locate/authors/
For specific enquiries on the preparation of electronic artwork, consult http://www.elsevier.com/locate/authorartwork/
Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

© 2001 Elsevier Science Ltd

Periodicals postage paid at Rahway, New Jersey. *Phytochemistry* (ISSN 0031-9442) is published bi-monthly, two issues per month, January to December in three volumes, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the USA is $3421.

Phytochemistry is circulated by Mercury International Limited, 365 Blair Road, Avenel, NJ 07001, U.S.A.
POSTMASTER: Please send address corrections to: *Phytochemistry*, c/o Customer Services, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010, U.S.A.

CONTENTS OF VOLUME 55

Number 1

Graphical Abstracts vii

Molecular Genetics and Genomics

Gibbestatin B inhibits the GA-induced expression of α-amylase expression in cereal seeds 1 K. HAYASHI, M. INOGUCHI, H. KONDO and H. NOZAKI

Histone deacetylase inhibitors and cell proliferation in pea root meristems 11 J. P. MURPHY, J. P. MCALEER, A. UGLIALORO, J. PAPILE, J. WENIGER, F. BETHELMIE and W. A. TRAMONTANO

Metabolism

Transformation of jervine by *Cunninghamella elegans* ATCC 9245 19 K. A. EL SAYED, A. F. HALIM, A. M. ZAGHLOUL, D. C. DUNBAR and J. D. MCCHESNEY

Biosynthesis of tetrahydroanthraquinones in fungi 23 C. ELSWORTH, M. GILL and S. SAUBERN

Ecological Biochemistry

Two polyisoprenylated benzophenones from the trunk latex of *Clusia grandiflora* (Clusiaceae) 29 J. LOKVAM, J. F. BRADDOCK, P. B. REICHARDT and T. P. CLAUSEN

Bioactive Products

New bioactive aromatic compounds from *Vismia guianensis* 35 E.-K. SEO, M. C. WANI, M. E. WALL, H. NAVARRO, R. MUKHERJEE, N. R. FARNSWORTH and A. D. KINGHORN

(*S*)- and (*R*)-Eriodictyol-6-*C*-β-D-glucopyranoside, novel keys to the fermentation of rooibos (*Aspalathus linearis*) 43 C. MARAIS, W. J. VAN RENSBURG, D. FERREIRA and J. A. STEENKAMP

Antifungal monoterpene production in elicited cell suspension cultures of *Piqueria trinervia* 51 I. SAAD, E. DÍAZ, I. CHÁVEZ, R. REYES-CHIPA, A. RUBLUO and M. JIMÉNEZ-ESTRADA

Triacontanol inhibits both enzymatic and nonenzymatic lipid peroxidation 59 K. RAMANARAYAN, A. BHAT, V. SHRIPATHI, G. S. SWAMY and K. S. RAO

Chemistry

Phenolic glycosides of forage legume *Onobrychis viciifolia* 67 Y. LU, Y. SUN, L. Y. FOO, W. C. MCNABB and A. L. MOLAN

Changes in grape seed polyphenols during fruit ripening 77 J. A. KENNEDY, M. A. MATTHEWS and A. L. WATERHOUSE

Product Review

EndNote Windows version 4.0, 1st edition 87 D. STRACK

Announcements 89

Number 2

Graphical Abstracts vii

Editorial xi

Editorial comment 93 J. VAN WIJK

Metabolism

28-Norcastasterone is biosynthesized from castasterone 97 S. FUJIOKA, T. NOGUCHI, M. SEKIMOTO, S. TAKATSUTO and S. YOSHIDA

Tissue-specific developmental changes in cell-wall ferulate and dehydrodiferulates in sugar beet 103 G. WENDE, K. W. WALDRON, A. C. SMITH and C. T. BRETT

Ecological Biochemistry

A comparison of the composition of epicuticular wax from red raspberry (*Rubus idaeus* L.) and hawthorn (*Crataegus monogyna* Jacq.) flowers 111 D. W. GRIFFITHS, G. W. ROBERTSON, T. SHEPHERD, A. N. E. BIRCH, S. C. GORDON and J. A. T. WOODFORD

PII: S0031-9422(01)00013-9

Chemotaxonomy

6′-*O*-Coumaroylaloesin from *Aloe castanea* — a taxonomic marker for *Aloe* section *Anguialoe* 117 F. R. VAN HEERDEN, A. M. VILJOEN and B.-E. VAN WYK

Bioactive Products

Synthesis and bioactivity of 6α- and 6β-hydroxy analogues of castasterone 121 G. C. Y. SUNG, L. JANZEN, R. P. PHARIS and T. G. BACK

S-Alk(en)yl-L-cysteine sulfoxides, alliinase and aroma in *Leucocoryne* 127 J. E. LANCASTER, M. L. SHAW and E. F. WALTON

Allelochemicals of the tropical weed *Sphenoclea zeylanica* 131 N. HIRAI, S. SAKASHITA, T. SANO, T. INOUE, H. OHIGASHI, C. PREMASTHIRA, Y. ASAKAWA, J. HARADA and Y. FUJII

Chemistry

The role of germacrene D as a precursor in sesquiterpene biosynthesis: investigations of acid catalyzed, photochemically and thermally induced rearrangements 141 N. BÜLOW and W. A. KÖNIG

Long-chain alkanediols from *Myricaria germanica* leaf cuticular waxes 169 R. JETTER

Purification and characterization of deacetylipecoside synthase from *Alangium lamarckii* Thw. 177 W. DE-EKNAMKUL, N. SUTTIPANTA and T. M. KUTCHAN

Lanostanes and friedolanostanes from the pericarp of *Garcinia hombroniana* 183 V. RUKACHAISIRIKUL, A. ADAIR, P. DAMPAWAN, W. C. TAYLOR and P. C. TURNER

Book review 189

Number 3

Graphical Abstracts vii

Protein Biochemistry

Pectin esterase, polygalacturonase and gel formation in peach pectin fractions 191 H.-W. ZHOU, R. BEN-ARIE and S. LURIE

A 37-kDa peroxidase secreted from liverworts in response to chemical stress 197 T. HIRATA, Y. ASHIDA, H. MORI, D. YOSHINAGA and L. J. GOAD

Metabolism

Inhibition of apple 1-aminocyclopropane-1-carboxylic acid oxidase, by cyclopropane-1,1-dicarboxylic acid and *trans*-2-phenylcyclopropane-1-carboxylic acid 203 V. DOURTOGLOU and E. KOUSSISSI

Ecological Biochemistry

Sinalbins A and B, phytoalexins from *Sinapis alba*: elicitation, isolation, and synthesis 213 M. SOLEDADE, C. PEDRAS and I. L. ZAHARIA

An aphid repellent glycoside from *Solanum laxum* 217 S. SOULÉ, C. GÜNTNER, A. VÁZQUEZ, V. ARGANDOÑA, P. MOYNA and F. FERREIRA

Bioactive Products

N-Methylsansalvamide, a cytotoxic cyclic depsipeptide from a marine fungus of the genus *Fusarium* 223 M. CUETO, P. R. JENSEN and W. FENICAL

Cytotoxicity of extractives from *Taiwania cryptomerioides* heartwood 227 S.-T. CHANG, D. S.-Y. WANG, C.-L. WU, S.-G. SHIAH, Y.-H. KUO and C.-J. CHANG

Cytotoxic clerodane diterpene esters from *Laetia corymbulosa* 233 J. A. BEUTLER, K. L. MCCALL, K. HERBERT, T. JOHNSON, R. H. SHOEMAKER and M. R. BOYD

Chemistry

Absolute configuration and tautomeric structure of xylindein, a blue–green pigment of *Chlorociboria* species 237 Y. SAIKAWA, T. WATANABE, K. HASHIMOTO and M. NAKATA

Chemical polymorphism of the essential oils from populations of *Thymus caespititius* grown on the island S. Jorge (Azores) 241 S. I. PEREIRA, P. A. G. SANTOS, J. G. BARROSO, A. C. FIGUEIREDO, L. G. PEDRO, L. R. SALGUEIRO, S. G. DEANS and J. J. C. SCHEFFER

Herbertane-type sesquiterpenoids from the liverwort *Herbertus sakuraii* 247 H. IRITA, T. HASHIMOTO, Y. FUKUYAMA and T. ASAKAWA

Sesquiterpene lactones in *Viguiera eriophora* and *Viguiera puruana* (Heliantheae; Asteraceae) 255 O. SPRING, R. ZIPPER, I. KLAIBER, S. REEB and B. VOGLER

Flavonoid and phenolic glycosides from *Salvia officinalis* 263 Y. Lu and L. Y. Foo

Flavanone, triterpene and chromene derivatives from the stems of *Paramignya griffithii* 269 C. Wattanapiromsakul and P. G. Waterman

Secoiridoid glucosides from *Fraxinus americana* 275 Y. Takenaka, T. Tanahashi, M. Shintaku, T. Sakai, N. Nagakura and Parida

Number 4

Graphical Abstracts vii

Protein Biochemistry

Characterization of polyphenol oxidase in coffee 285 P. Mazzafera and S. P. Robinson

A 38 kDa allylic alcohol dehydrogenase from the cultured cells of *Nicotiana tabacum* 297 T. Hirata, Y. Tamura, N. Yokobatake, K. Shimoda and Y. Ashida

Molecular Genetics and Genomics

Cloning and expression of homospermidine synthase from *Senecio vulgaris*: a revision 305 D. Ober, R. Harms and T. Hartmann

Metabolism

UV mutagenesis and enzyme inhibitors as tools to elucidate the late biosynthesis of the spirobisnaphthalenes 311 H.B. Bode and A. Zeeck

Gibberellin biosynthesis: metabolic evidence for three steps in the early 13-hydroxylation pathway of rice 317 M. Kobayashi, J. MacMillan, B. Phinney, P. Gaskin, C. R. Spray and P. Hedden

Biosynthesis of the dimethylallyl moiety of glabrol in *Glycyrrhiza glabra* hairy root cultures via a non-mevalonate pathway 323 Y. Asada, W. Li and T. Yoshikawa

Anthocyanic vacuolar inclusions — their nature and significance in flower colouration 327 K. R. Markham, K. S. Gould, C. S. Winefield, K. A. Mitchell, S. J. Bloor and M. R. Boase

Chemotaxonomy

Chemotaxonomy of *Plantago*. Iridoid glucosides and caffeoyl phenylethanoid glycosides 337 N. Rønsted, E. Göbel, H. Franzyk, S. R. Jensen and C. E. Olsen

Bioactive Products

Antimalarial preracemosols A and B, possible biogenetic precursors of racemosol from *Bauhinia malabarica* Roxb. 349 P. Kittakoop, K. Kirtikara, M. Tanticharoen and Y. Thebtaranonth

Chemistry

Iridoid and megastigmane glycosides from *Phlomis aurea* 353 M. S. Kamel, K. M. Mohamed, H. A. Hassanean, K. Ohtani, R. Kasai and K. Yamasaki

Eleganoside-A, B and C from *Pseudocalymma elegans*, a native of Brazil 359 M. Shaiq Ali, S. S. Uzair, H. C. Krebs, M. Jahangir and G. G. Habermehl

Biotransformation of geraniol, nerol and citral by sporulated surface cultures of *Aspergillus niger* and *Penicillium* sp. 363 J. C. R. Demyttenaere, M. del Carmen Herrera and N. De Kimpe

Number 5

Graphical Abstracts vii

Metabolism

Biotransformation of constituents of essential oils by germinating wheat seed 375 N. Dudai, O. Larkov, E. Putievsky, H. R. Lerner, U. Ravid, E. Lewinsohn and A. M. Mayer

Ecological Biochemistry

[D-Leu^1]Microcystin-LR, from the cyanobacterium *Microcystis* RST 9501 and from a *Microcystis* bloom in the Patos Lagoon estuary, Brazil 383 A. Matthiensen, K. A. Beattie, J. S. Yunes, K. Kaya and G. A. Codd

Roots of nutrient-deprived *Brachiaria* species accumulate 1,3-di-*O*-*trans*-feruloylquinic acid 389 P. Wenzl, A. L. Chaves, J. E. Mayer, I. M. Rao and M. G. Nair

Chemotaxonomy

Chemotaxonomic value of the essential oil compounds in species of *Teucrium pumilum* aggregate 397 I. PÉREZ, M. A. BLÁZQUEZ and H. BOIRA

Bioactive Products

Antibacterial compounds from *Carissa lanceolata* R.Br. 403 E. A. LINDSAY, Y. BERRY, J. F. JAMIE and J. B. BREMNER

Anti-platelet stilbenes from aerial parts of *Rheum palaestinum* 407 T. A. ABURJAI

Benzylbenzoate and norlignan glucosides from *Curculigo pilosa*: structural analysis and in vitro vascular activity 411 G. PALAZZINO, C. GALEFFI, E. FEDERICI, F. DELLE MONACHE, M. F. COMETA and M. PALMERY

Chemistry

Structural studies of triterpenoid saponins with new acyl components from *Quillaja saponaria* Molina 419 S. GUO and L. KENNE

Peptides isolated from cell walls of *Medicago truncatula* nodules and uninfected root 429 J. B. FRUEAUF, M. DOLATA, J. F. LEYKAM, E. A. LLOYD, M. GONZALES, K. VANDENBOSCH and M. J. KIELISZEWSKI

(*Rel*)-1β,2α-di-(2,4-dihydroxy-6-methoxybenzoyl)-3β, 4α-di-(4-methoxyphenyl)-cyclobutane and other flavonoids from the aerial parts of *Goniothalamus gardneri* and *Goniothalamus thwaitesii* 439 V. SEIDEL, F. BAILLEUL and P. G. WATERMAN

Flavonoid constituents from *Glycyrrhiza glabra* hairy root cultures 447 W. LI, Y. ASADA and T. YOSHIKAWA

Two isoflavanones from the stem bark of *Erythrina sacleuxii* 457 A. YENESEW, J. O. MIDIWO, M. HEYDENREICH, D. SCHANZENBACH and M. G. PETER

Book review

Biotechnology: Secondary Metabolites by K. G. Ramawat and J. M. Merillon (eds.) 461 N. J. WALTON

Number 6

Graphical Abstracts vii

Editorial xiii

Reviews

Biodiversity and drug discovery — a symbiotic relationship 463 G. A. CORDELL

Advances in flavonoid research since 1992 481 J. B. HARBORNE and C. A. WILLIAMS

Distribution of flavonoids in the Myristicaceae 505 J. C. MARTÍNEZ VALDERRAMA

Correlation of oxidative transformations of hydrolyzable tannins and plant evolution 513 T. OKUDA, T. YOSHIDA and T. HATANO

Protein Biochemistry

Light activation of vindoline biosynthesis does not require cytomorphogenesis in *Catharanthus roseus* seedlings 531 F. A. VÁZQUEZ-FLOTA, B. ST-PIERRE and V. DE LUCA

Molecular Genetics and Genomics

Dirigent-mediated podophyllotoxin biosynthesis in *Linum flavum* and *Podophyllum peltatum* 537 Z.-Q. XIA, M. A. COSTA, J. PROCTOR, L. B. DAVIN and N. G. LEWIS

Ecological Biochemistry

Floral scent compounds of Amazonian Annonaceae species pollinated by small beetles and thrips 551 A. JÜRGENS, A. C. WEBBER and G. GOTTSBERGER

Biodiversity: modelling angiosperms as networks 559 O. R. GOTTLIEB and M. R. DE M. B. BORIN

Chemotaxonomy

Foliar flavonoids of Annonaceae from Brazil: taxonomic significance 567 D. Y. A. C. SANTOS and M. L. F. SALATINO

Phenylpropanoid derivatives and biflavones at different stages of differentiation and development of *Araucaria angustifolia* 575 F. N. FONSECA, A. J. S. FERREIRA, P. SARTORELLI, N. P. LOPES, E. I. S. FLOH, W. HANDRO and M. J. KATO

Monomer composition of polysaccharides of seed cell walls and the taxonomy of the Vochysiaceae 581 M. A. S. MAYWORM, M. S. BUCKERIDGE and A. SALATINO

Bioactive Products

Anti-leishmanial activity of neolignans from *Virola* species and synthetic analogues 589 L. E. S. Barata, L. S. Santos, P. H. Ferri, J. D. Phillipson, A. Paine and S. L. Croft

nor-Lignans from the leaves of *Styrax ferrugineus* (Styracaceae) with antibacterial and antifungal activity 597 P. M. Pauletti, A. R. Araújo, M. C. M. Young, A. M. Giesbrecht and V. da Silva Bolzani

Molluscicidal saponins from *Phytolacca icosandra* 603 V. Treyvaud, A. Marston, W. Dyatmiko and K. Hostettmann

Effects of lignoids on a hematophagous bug, *Rhodnius prolixus*: feeding, ecdysis and diuresis 611 E. S. Garcia, M. M. O. Cabral, G. A. Schaub, O. R. Gottlieb, P. Azambuja

Diterpene from *Baccharis trimera* with a relaxant effect on rat vascular smooth muscle 617 L. M. B. Torres, M. T. Gamberini, N. F. Roque, M. T. Lima-Landman, C. Souccar and A. J. Lapa

Antifungal amides from *Piper hispidum* and *Piper tuberculatum* 621 H. M. D. Navickiene, A. C. Alécio, M. J. Kato, V. da S. Bolzani, M. C. M. Young, A. J. Cavalheiro and M. Furlan

Plant natural products active against snake bite — the molecular approach 627 W. B. Mors, M. C. do Nascimento, B. M. Ruppelt Pereira and N. A. Pereira

Pyrano chalcones and a flavone from *Neoraputia magnifica* and their *Trypanosoma cruzi* glycosomal glyceraldehyde-3-phosphate dehydrogenase-inhibitory activities 643 D. M. Tomazela, M. T. Pupo, E. A. P. Passador, M. F. das G. F. da Silva, P. C. Vieira, J. B. Fernandes, E. Rodrigues Fo, G. Oliva and J. R. Pirani

Chemistry

Dibenzocyclooctadiene-type lignans from *Magnolia pyramidata* 653 Q. Song, F. R. Fronczek and N. H. Fischer

Atranones A–G, from the toxigenic mold *Stachybotrys chartarum* 663 S. F. Hinkley, E. P. Mazzola, J. C. Fettinger, Y.-F. Lam and B. B. Jarvis

3,5-Dimethoxy-3-(1,1-dimethylprop-2-enyl)-3,4-dihydropsoralen-4-one: an unusual furanocoumarin derivative from *Halfordia kendack* 675 N. Sultana, B. W. Skelton, P. G. Waterman and A. H. White

Kaempferol glycosides from *Siparuna apiosyce* 679 G. G. Leitão, S. S. V. Soares, T. de B. M. Brito and F. Delle Monache

Number 7

Graphical Abstracts vii

Editorial xv

Review

Tetraoxygenated naturally occurring xanthones 683 V. Peres, T. J. Nagem and F. F. de Oliveira

Terpenoids

A limonoid from *Trichilia estipulata* 711 D. A. G. Cortez, J. B. Fernandes, P. C. Vieira, M. F. das G. F. da Silva and A. G. Ferreira

Steroidal saponins from the leaves of *Cestrum sendtenerianum* 715 M. Haraguchi, Y. Mimaki, M. Motidome, H. Morita, K. Takeya, H. Itokawa, A. Yokosuka and Y. Sashida

Diterpenes from *Laennecia sophiifolia* 721 M. J. Simirgiotis, L. S. Favier, P. C. Rossomando, O. S. Giordano, C. E. Tonn, J. I. Padrón and J. T. Vázquez

Terpenes from leaves of *Guarea macrophylla* (Meliaceae) 727 J. H. G. Lago, C. B. Brochini and N. F. Roque

7β-Oxygenated limonoids from *Trichilia elegans* ssp. *elegans* 733 F. R. Garcez, W. S. Garcez, N. F. Roque, E. E. Castellano and J. Zukerman-Schpector

Biosynthesis of friedelane and quinonemethide triterpenoids is compartmentalized in *Maytenus aquifolium* and *Salacia campestris* 741 J. Corsino, P. R. F. de Carvalho, M. J. Kato, L. R. Latorre, O. M. M. F. Oliveira, A. R. Araújo, V. da S. Bolzani, S. C. França, A. M. S. Pereira and M. Furlan

The stereochemistry of ledol from *Renealmia chrysotrycha*: an NMR study 749 M. A. C. Kaplan, H. R. L. Pugialli, D. Lopes and H. E. Gottlieb

Polyisoprenylated benzophenones from *Clusia* floral resins 755 A. L. M. Porto, S. M. F. Machado, C. M. A. de Oliveira, V. Bittrich, M. C. E. Amaral and A. J. Marsaioli

Sesquiterpene lactone variability in *Parthenium hysterophorus* L. 769 J. R. de la Fuente, M. L. Uriburu, G. Burton and V. E. Sosa

Characterization of the chemical composition of oleoresins of *Copaifera guianensis* Desf., *Copaifera duckei* Dwyer and *Copaifera multijuga* Hayne 773 V. Cascon, B. Gilbert

Phenolics

A dimeric ArC_2 compound from *Peperomia pellucida* 779 J. de C. Bayma, M. S. P. Arruda, A. H. Müller, A. C. Arruda and W. C. Canto

A C-glucosylflavone from leaves of *Piper lhotzkyanum* 783 D. L. Moreira, E. F. Guimarães and M. A. C. Kaplan

Flavonoids from *Lonchocarpus latifolius* roots 787 A. F. Magalhães, A. M. A. Tozzi, E. G. Magalhães, M. A. Nogueira and S. C. N. Queiroz

Anthracene derivatives from *Auxemma oncocalyx* 793 W. B. Marques, H. S. dos Santos, O. D. L. Pessoa, R. Braz-Filho and T. L. G. Lemos

C-prenylflavonoids from roots of *Tephrosia tunicata* 799 C. C. Andrei, D. T. Ferreira, M. Faccione, L. A. B. de Moraes, M. G. de Carvalho and R. Braz Filho

A-type proanthocyanidin antioxidant from *Dioclea lasiophylla* 805 A. L. B. S. Barreiros, J. P. David, L. P. de Queiroz and J. M. David

Analgesic activity of the lignans from *Lychnophora ericoides* 809 M. L. C. Borsato, C. F. F. Grael, G. E. P. Souza and N. P. Lopes

Dichromenoxanthones from *Tovomita brasiliensis* 815 V. L. L. Marques, F. M. de Oliveira, L. M. Conserva, R. G. L. Brito and G. M. S. P. Guilhon

Styryl- and dihydrostyryl-2-pyrones derivatives from *Polygala sabulosa* 819 M. G. Pizzolatti, C. Luciano and F. Delle Monache

Bi- and tetraflavonoids from *Aristolochia ridicula* 823 F. J. C. Carneiro, N. Boralle, D. H. S. Silva, L. M. X. Lopes

Xanthones from *Calophyllum teysmannii* var. *inophylloide* 833 A. Kijjoa, M. J. Gonzalez, M. M. M. Pinto, A. M. S. Silva, C. Anantachoke, W. Herz

Anthrone and oxanthrone *C,O*-diglycosides from *Picramnia teapensis* 837 T. Rodríguez-Gamboa, S. R. Victor, J. B. Fernandes, E. Rodrigues Fo, M. F. das G. F. da Silva, P. C. Vieira, F. C. Pagnocca, O. C. Bueno, M. J. A. Hebling and O. Castro C.

Phenylpropanoids and tetrahydrofuran lignans from *Piper solmsianum* 843 R. C. C. Martins, L. R. Latorre, P. Sartorelli and M. J. Kato

Pentaoxygenated xanthones and fatty acids from *Bredemeyera brevifolia* 847 M. da C. F. de Oliveira and E. R. Silveira

Alkaloids

Caffeine and theobromine in epicuticular wax of *Ilex paraguariensis* A. St.-Hil. 853 M. L. Athayde, G. C. Coelho and E. P. Schenkel

General Chemistry

Chemical constituents of two *Mollinedia* species 859 B. M. G. Claros, A. J. R. da Silva, M. L. A. A. Vasconcellos, A. P. P. de Brito and G. G. Leitão

Number 8

Graphical Abstracts vii

Terpenoids

Diterpenoids from *Haplopappus rigidus* 863 G. Morales, P. Sierra, L. A. Loyola and J. Borquez

Components of *Cipadessa baccifera* 867 X.-D. Luo, S.-H. Wu, Y.-B. Ma and D.-G. Wu

Diterpenoids from the fruits of *Vitex trifolia*	873	M. Ono, H. Sawamura, Y. Ito, K. Mizuki and T. Nohara
Secoiridoid glycosides from the flower buds of *Lonicera japonica*	879	R. Kakuda, M. Imai, Y. Yaoita, K. Machida and M. Kikuchi
seco-Prezizaane-type sesquiterpenes from *Illicium merrillianum*	883	J.-M. Huang, C.-S. Yang, H. Takahashi and Y. Fukuyama
Identification of endogenous gibberellins in strawberry, including the novel gibberellins GA_{123}, GA_{124} and GA_{125}	887	P. S. Blake, D. R. Taylor, C. M. Crisp, L. N. Mander and D. J. Owen
Five diterpenoids (agallochins A–E) from the mangrove plant *Excoecaria agallocha* Linn	891	A. S. R. Anjaneyulu and V. L. Rao
Sesquiterpene lactones from *Centaurea thessala* and *Centaurea attica*. Antifungal activity	903	H. Skaltsa, D. Lazari, C. Panagouleas, E. Georgiadou, B. Garcia and M. Sokovic
Antialgal *ent*-labdane diterpenes from *Ruppia maritima*	909	M. DellaGreca, A. Fiorentino, M. Isidori, P. Monaco and A. Zarrelli
Phenolics		
Prenylated flavonoids from the aerial parts of *Dorstenia mannii*	915	B. T. Ngadjui, S. F. Kouam, E. Dongo, G. W. F. Kapche and B. M. Abegaz
Acetylenes and dichloroanisoles from *Psathyrella scobinacea*	921	A. A. Taha
Teucrol, a decarboxyrosmarinic acid and its 4′-*O*-triglycoside, teucroside from *Teucrium pilosum*	927	A. M. D. El-Mousallamy, U. W. Hawas and S. A. M. Hussein
Chemistry of *Zataria multiflora* (Lamiaceae)	933	M. Shaiq Ali, M. Saleem, Z. Ali and V. U. Ahmad
Cyclic malyl anthocyanins in *Dianthus caryophyllus*	937	M. Nakayama, M. Koshioka, H. Yoshida, Y. Kan, Y. Fukui, A. Koike and M. Yamaguchi
Bisanthraquinone glycosides of *Hypericum perforatum* with binding inhibition to CRH-1 receptors	941	A. Wirz, U. Simmen, J. Heilmann, I. Çalis, B. Meier and O. Sticher
Chromones and anthrones from *Aloe marlothii* and *Aloe rupestris*	949	D. Bisrat, E. Dagne, B.-E. van Wyk and A. Viljoen
Flavanones and 3-hydroxyflavanones from *Lonchocarpus oaxacensis*	953	D. Alavez-Solano, R. Reyes-Chilpa, M. Jiménez-Estrada, F. Gómez-Garibay, I. Chavez-Uribe and M. Sousa-Sánchez
Minor flavonoids from licorice	959	T. Hatano, Y. Aga, Y. Shintani, H. Ito, T. Okuda and T. Yoshida
C-Methyl-flavonoids from the leaf waxes of some Myrtaceae	965	E. Wollenweber, R. Wehde, M. Dörr, G. Lang and J. F. Stevens
Chalcone and flavonol glycosides from *Asarum canadense* (Aristolochiaceae)	971	T. Iwashina and J. Kitajima
General Chemistry		
5-*n*-Alkylresorcinols from the green microalga *Apatococcus constipatus*	975	R. Zarnowski, Y. Suzuki, Y. Esumi and S. J. Pietr
A chlorinated amide and piperidine alkaloids from *Aloe sabaea*	979	T. Blitzke, A. Porzel, M. Masaoud and J. Schmidt
The volatile organic compounds from the mycelium of *Tuber borchii* Vitt.	983	B. Tirillini, G. Verdelli, F. Paolocci, P. Ciccioli and M. Frattoni
Bicycloalternarenes produced by the phytopathogenic fungus *Alternaria alternata*	987	B. Liebermann, R.-P. Nussbaum and W. Günther

Polyisoprenylated benzophenones from *Clusia* floral resins 755 A. L. M. Porto, S. M. F. Machado, C. M. A. de Oliveira, V. Bittrich, M. C. E. Amaral and A. J. Marsaioli

Sesquiterpene lactone variability in *Parthenium hysterophorus* L. 769 J. R. de la Fuente, M. L. Uriburu, G. Burton and V. E. Sosa

Characterization of the chemical composition of oleoresins of *Copaifera guianensis* Desf., *Copaifera duckei* Dwyer and *Copaifera multijuga* Hayne 773 V. Cascon, B. Gilbert

Phenolics

A dimeric ArC_2 compound from *Peperomia pellucida* 779 J. de C. Bayma, M. S. P. Arruda, A. H. Müller, A. C. Arruda and W. C. Canto

A C-glucosylflavone from leaves of *Piper lhotzkyanum* 783 D. L. Moreira, E. F. Guimarães and M. A. C. Kaplan

Flavonoids from *Lonchocarpus latifolius* roots 787 A. F. Magalhães, A. M. A. Tozzi, E. G. Magalhães, M. A. Nogueira and S. C. N. Queiroz

Anthracene derivatives from *Auxemma oncocalyx* 793 W. B. Marques, H. S. dos Santos, O. D. L. Pessoa, R. Braz-Filho and T. L. G. Lemos

C-prenylflavonoids from roots of *Tephrosia tunicata* 799 C. C. Andrei, D. T. Ferreira, M. Faccione, L. A. B. de Moraes, M. G. de Carvalho and R. Braz Filho

A-type proanthocyanidin antioxidant from *Dioclea lasiophylla* 805 A. L. B. S. Barreiros, J. P. David, L. P. de Queiroz and J. M. David

Analgesic activity of the lignans from *Lychnophora ericoides* 809 M. L. C. Borsato, C. F. F. Grael, G. E. P. Souza and N. P. Lopes

Dichromenoxanthones from *Tovomita brasiliensis* 815 V. L. L. Marques, F. M. de Oliveira, L. M. Conserva, R. G. L. Brito and G. M. S. P. Guilhon

Styryl- and dihydrostyryl-2-pyrones derivatives from *Polygala sabulosa* 819 M. G. Pizzolatti, C. Luciano and F. Delle Monache

Bi- and tetraflavonoids from *Aristolochia ridicula* 823 F. J. C. Carneiro, N. Boralle, D. H. S. Silva, L. M. X. Lopes

Xanthones from *Calophyllum teysmannii* var. *inophylloide* 833 A. Kijjoa, M. J. Gonzalez, M. M. M. Pinto, A. M. S. Silva, C. Anantachoke, W. Herz

Anthrone and oxanthrone *C,O*-diglycosides from *Picramnia teapensis* 837 T. Rodríguez-Gamboa, S. R. Victor, J. B. Fernandes, E. Rodrigues Fo, M. F. das G. F. da Silva, P. C. Vieira, F. C. Pagnocca, O. C. Bueno, M. J. A. Hebling and O. Castro C.

Phenylpropanoids and tetrahydrofuran lignans from *Piper solmsianum* 843 R. C. C. Martins, L. R. Latorre, P. Sartorelli and M. J. Kato

Pentaoxygenated xanthones and fatty acids from *Bredemeyera brevifolia* 847 M. da C. F. de Oliveira and E. R. Silveira

Alkaloids

Caffeine and theobromine in epicuticular wax of *Ilex paraguariensis* A. St.-Hil. 853 M. L. Athayde, G. C. Coelho and E. P. Schenkel

General Chemistry

Chemical constituents of two *Mollinedia* species 859 B. M. G. Claros, A. J. R. da Silva, M. L. A. A. Vasconcellos, A. P. P. de Brito and G. G. Leitão

Number 8

Graphical Abstracts vii

Terpenoids

Diterpenoids from *Haplopappus rigidus* 863 G. Morales, P. Sierra, L. A. Loyola and J. Borquez

Components of *Cipadessa baccifera* 867 X.-D. Luo, S.-H. Wu, Y.-B. Ma and D.-G. Wu

Diterpenoids from the fruits of *Vitex trifolia*	873	M. Ono, H. Sawamura, Y. Ito, K. Mizuki and T. Nohara
Secoiridoid glycosides from the flower buds of *Lonicera japonica*	879	R. Kakuda, M. Imai, Y. Yaoita, K. Machida and M. Kikuchi
seco-Prezizaane-type sesquiterpenes from *Illicium merrillianum*	883	J.-M. Huang, C.-S. Yang, H. Takahashi and Y. Fukuyama
Identification of endogenous gibberellins in strawberry, including the novel gibberellins GA_{123}, GA_{124} and GA_{125}	887	P. S. Blake, D. R. Taylor, C. M. Crisp, L. N. Mander and D. J. Owen
Five diterpenoids (agallochins A–E) from the mangrove plant *Excoecaria agallocha* Linn	891	A. S. R. Anjaneyulu and V. L. Rao
Sesquiterpene lactones from *Centaurea thessala* and *Centaurea attica*. Antifungal activity	903	H. Skaltsa, D. Lazari, C. Panagouleas, E. Georgiadou, B. Garcia and M. Sokovic
Antialgal *ent*-labdane diterpenes from *Ruppia maritima*	909	M. DellaGreca, A. Fiorentino, M. Isidori, P. Monaco and A. Zarrelli
Phenolics		
Prenylated flavonoids from the aerial parts of *Dorstenia mannii*	915	B. T. Ngadjui, S. F. Kouam, E. Dongo, G. W. F. Kapche and B. M. Abegaz
Acetylenes and dichloroanisoles from *Psathyrella scobinacea*	921	A. A. Taha
Teucrol, a decarboxyrosmarinic acid and its 4′-*O*-triglycoside, teucroside from *Teucrium pilosum*	927	A. M. D. El-Mousallamy, U. W. Hawas and S. A. M. Hussein
Chemistry of *Zataria multiflora* (Lamiaceae)	933	M. Shaiq Ali, M. Saleem, Z. Ali and V. U. Ahmad
Cyclic malyl anthocyanins in *Dianthus caryophyllus*	937	M. Nakayama, M. Koshioka, H. Yoshida, Y. Kan, Y. Fukui, A. Koike and M. Yamaguchi
Bisanthraquinone glycosides of *Hypericum perforatum* with binding inhibition to CRH-1 receptors	941	A. Wirz, U. Simmen, J. Heilmann, I. Çalis, B. Meier and O. Sticher
Chromones and anthrones from *Aloe marlothii* and *Aloe rupestris*	949	D. Bisrat, E. Dagne, B.-E. van Wyk and A. Viljoen
Flavanones and 3-hydroxyflavanones from *Lonchocarpus oaxacensis*	953	D. Alavez-Solano, R. Reyes-Chilpa, M. Jiménez-Estrada, F. Gómez-Garibay, I. Chavez-Uribe and M. Sousa-Sánchez
Minor flavonoids from licorice	959	T. Hatano, Y. Aga, Y. Shintani, H. Ito, T. Okuda and T. Yoshida
C-Methyl-flavonoids from the leaf waxes of some Myrtaceae	965	E. Wollenweber, R. Wehde, M. Dörr, G. Lang and J. F. Stevens
Chalcone and flavonol glycosides from *Asarum canadense* (Aristolochiaceae)	971	T. Iwashina and J. Kitajima
General Chemistry		
5-*n*-Alkylresorcinols from the green microalga *Apatococcus constipatus*	975	R. Zarnowski, Y. Suzuki, Y. Esumi and S. J. Pietr
A chlorinated amide and piperidine alkaloids from *Aloe sabaea*	979	T. Blitzke, A. Porzel, M. Masaoud and J. Schmidt
The volatile organic compounds from the mycelium of *Tuber borchii* Vitt.	983	B. Tirillini, G. Verdelli, F. Paolocci, P. Ciccioli and M. Frattoni
Bicycloalternarenes produced by the phytopathogenic fungus *Alternaria alternata*	987	B. Liebermann, R.-P. Nussbaum and W. Günther